

IN THE CLAIMS:

In response to the Restriction Requirement dated December 1, 2006, Applicants provisionally elect, without traverse, claims 31 through 53. Because no claims have been canceled at this time, all pending claims in the application are reproduced below with elected claims noted as “original” and non-elected claims noted as “withdrawn”.

1-30 (Cancelled).

31. 31. (Previously presented) A method for determining and communicating schedule availability for a set of attendees, the method comprising:
- receiving, at a server, an availability request from a wireless scheduling device, the server
- having access to calendar data for each attendee in the set of attendees;
- in response to the availability request, conducting a search of the calendar data of each
- attendee of the set to produce an availability data set, wherein the availability data set is compact relative to the calendar data in that it generically indicates a subset of information selected from the calendar data, the subset of information including at least one of free space in an attendee's schedule and busy space in an attendee's schedule;
- transmitting the availability data set to the wireless scheduling device via a wireless communication channel.
32. (Previously presented) The method of claim 31 further including: displaying data derived from the availability data set on the wireless scheduling device.
33. (Previously presented) The method of claim 32 wherein the data derived from the availability data set is displayed as free time and busy time.

34. (Previously presented) The method of claim 31 wherein the availability request is communicated to the server via a network.
35. (Previously presented) The method of claim 34 wherein the network includes the Internet.
36. (Previously presented) The method of claim 31 wherein the availability request includes an identifier for each attendee and a time period for which availability should be determined.
37. (Previously presented) The method of claim 36 wherein the identifier for each attendee is an email address.
38. (Previously presented) The method of claim 31 wherein the calendar data for each attendee is stored in a database communicatively coupled with the server.
39. (Previously presented) The method of claim 31 further including: scheduling an event based on the availability data set, in response to user input.
40. (Previously presented) The method of claim 39 wherein the event is scheduled using the wireless scheduling device.
41. (Previously presented) The method of claim 39 further including: updating the calendar data for each attendee with the scheduled event.
42. (Previously presented) The method of claim 31 wherein prior to conducting a search of the calendar data, the method further includes: requesting access to the calendar data for each attendee in the set of attendees, based on user input.
43. (Previously presented) The method of claim 42 wherein access to calendar data is requested via email over the Internet.

44. (Previously presented) The method of claim 31 wherein an indication of whether an attendee has granted permission to view the availability data of that attendee is stored in a database communicatively coupled with the server.
45. (Previously presented) The method of claim 31 wherein an attendee has granted permission to view the attendee's availability data only during a specified period of time.
46. (Previously presented) A system for determining schedule availability of a set of attendees using a wireless scheduling device, the system comprising:
- a first process, running on a server, for receiving an availability request from a wireless scheduling device in communication with the server, the server having access to calendar data for each attendee in the set of attendees;
 - a second process, running on the server, for conducting a search of the calendar data of each attendee of the set to produce an availability data set in response to the availability request, wherein the availability data set is compact relative to the calendar data in that it generically indicates a subset of information selected from the calendar data, the subset of information including at least one of free space in an attendee's schedule and busy space in an attendee's schedule; and
 - a third process, running on the server, for transmitting the availability data set to the wireless scheduling device via a wireless communication channel.
47. (Previously presented) The system of claim 46 further including:
- a fourth process, running on the wireless scheduling device, for communicating the availability request to the server; and
 - a fifth process, running on the wireless scheduling device, for displaying data derived from the availability data set on the wireless scheduling device.

48. (Previously presented) The system of claim 47 wherein the data derived from the availability data set is displayed as free time and busy time.
49. (Previously presented) The system of claim 46 wherein the availability request is communicated to the server via a network.
50. (Previously presented) The system of claim 49 wherein the network includes the Internet.
51. (Previously presented) The system of claim 46 wherein the availability request includes an identifier for each attendee and a time period for which availability should be determined.
52. (Previously presented) The system of claim 46 wherein the identifier for each attendee is an email address.
53. (Previously presented) The system of claim 46 further comprising a database communicatively coupled with the server and for storing the calendar data for each attendee.

54. (Withdrawn) A wireless scheduling device comprising:
availability logic for creating an availability request to determine schedule availability for
a set of attendees;
transmission logic for communicating the availability request to a server, the server
having access to calendar data for each attendee in the set of attendees; and
receiving logic for receiving, via a wireless communication channel, an availability data
set produced at the server in response to the availability request, wherein the
availability data set is compact relative to the calendar data in that it generically
indicates a subset of information selected from the calendar data, the subset of
information including at least one of free space in an attendee's schedule and busy
space in an attendee's schedule.
55. (Withdrawn) The wireless scheduling device of claim 54 further including: display logic
for displaying data derived from the availability data set.
56. (Withdrawn) The wireless scheduling device of claim 55 wherein the data derived from
the availability data set is displayed as free time and busy time.
57. (Withdrawn) The wireless scheduling device of claim 54 wherein the availability request
includes an identifier for each of the attendees and a time period for which availability
should be determined.
58. (Withdrawn) The wireless scheduling device of claim 57 wherein the identifier for each
attendee is an email address.